

Two layer structure series



- High ventilation is achieved by its large ventilation holes and two-layer structure.
- Drainage of rainwater is enabled by the internal drainage structure. It also prevents penetrations by sharp objects.
- It secures a wide field of view with its transparent peak. (ST#1830/1330)

Japanese PAT No, 3503947

Excellent Ventilation

The ST#1820-FZ/1830-JZ helmet is unique for its superior ventilation and excellent sweat absorption abilities. A total of 11 ventilation holes are situated in the front portion of the helmet permitting fresh air to pass through the helmet and cool the user's head. (ST#1820 = 11 holes / ST#1830 = 4 big holes)


In addition, ventilation holes are located on the top of the helmet (ST#1820 = 6 holes / ST#1830 = 3 holes) and ventilation holes are situated at the back allowing heat to be released effectively.

(ST#1820 = 5 holes / ST#1830 = 6 holes)

In order to achieve this degree of ventilation, the helmet's original double layer structure was created.

The inner shell acts to protect the user from falling objects.

A further unique feature is the inside absorption liner which unlike other helmets is positioned away from the shell to allow and heat or humidity within to be released easily and rapidly.



Wide field of view with transparent peak



ST#1830-JZ

Material
ABS/PC
Shell / Peak

Two layer structure

Transparent peak

Rain guttering

EPA

Suspension
J 3

Weight
450g

Peakless model For use in narrow spaces



ST#1820-FZ

Material
ABS

Two layer structure

EPA

Suspension
F

Weight
445g



ST#1840-FZ

Material
ABS

Two layer structure

EPA

Suspension
T F

Weight
405g



Baseball Cap style series



- There is no collar on the side and the back, baseball cap style.
The collar does not touch the headrest, and it is popular with operators and drivers.
- Its lightweight and compact structure is convenient for working in narrow spaces, such as inside vehicles. It is non-bulky, with a compact and simple design.

For operators and drivers



Heat-resistant

Metal rivet model that does not fall off.
Can be used in environments near heat sources.



ST#114-EMZ

Material FRP EPA



- Lightweight model

ST#104-EPZ

Material FRP EPA

Light weight

ST#104-EP

Material FRP EPA

Light weight

- Standard model


ST#114-EPZ

ST#114-GPZ

Material FRP EPA

ST#114-EP

Material FRP EPA



Lightweight with ventilation holes



ST#1040-EP

Material FRP EPA

Light weight



Lightweight & electrical resistance



Long peak(50mm)



ST#115-EP

Material FRP EPA



Large sized (56-65cm)



ST#164-EZ

Material ABS EPA

ST#164-E

Material ABS EPA



ST#154-EPZ

Material FRP EPA-L

